

Material Composition for M20-792XX42R

Product Information	
Part Number:	M20-792XX42R
Part Description:	2.54mm pitch Socket
Part Weight (g):	$(0.229 * XX) + 0.0165$

Process Data	
Peak Reflow (Deg. C)	260°C for 10 seconds
Termination Finish	100% Tin over Nickel
RoHS Compliant? (Y/N)	Yes

Note: Tin plating is subject to 1,000ppm max Lead impurity.

Homogeneous Material Location	Weight (g)	Tolerance	Substance Name	CAS #
Contact - Phosphor Bronze	0.0786 * XX	5%	Copper	7440-50-8
	0.00525 * XX	1%	Tin	7440-31-5
	0.000172 * XX	0.5%	Phosphorus	7723-14-0
	0	(0.000168 * XX)g max	Nickel (impurity only)	7440-02-0
	0	(0.000168 * XX)g max	Zinc (impurity only)	7440-66-6
	0	(0.000084 * XX)g max	Iron (impurity only)	7439-89-6
Contact - Plating	0	(0.000017 * XX)g max	Lead (impurity only)	7439-92-1
	0	(0.00042 * XX)g max	Other Impurities	
	0.000981 * XX	10%	Nickel	7440-02-0
	0.000778 * XX	20%	Tin	7440-31-5
	0.000014 * XX	30%	Gold	7440-57-5
Moulding (total weight)	$(0.143 * XX) + 0.0165$	6%	33% GF Nylon 9T	
Containing:	$(0.0615 * XX) + 0.0071$	6%	Nylon 9T	169284-22-4
	$(0.0472 * XX) + 0.00545$	6%	Glass Fibre	65997-17-3
	$(0.03 * XX) + 0.00347$	6%	Bromopolystyrene	88497-56-7
	$(0.00429 * XX) + 0.000495$	4%	Additives (such as Heat stabilizer)	
Does not contain:			Antimony	

Prepared by: *M. J. Perry*

Martin J Perry, BSc(Eng) MSc CEng MIET
Compliance Specialist
ComplianceTeam@harwin.co.uk

On behalf of:

