

## Material Declaration for S2751-46R

Product Information	
Part Number:	S2751-46R
Part Description:	SMT Test Point
Part Weight (g):	0.0111

Process Data	
Peak Reflow (Deg. C)	260°C for 10 seconds
Termination Finish	100% Tin over Nickel
RoHS Compliant? (Y/N)	Yes

Homogeneous Material Location	Weight (g)	Tolerance	Substance Name	CAS #
Contact - Brass	0.00725	3%	Copper	7440-50-8
	0.00311	2%	Zinc	7440-66-6
	0	0.000005g max	Lead (impurity only)	7439-92-1
	0	0.000005g max	Iron (impurity only)	7439-89-6
	0	0.00001g max	Tin (impurity only)	7440-31-5
	0	0.000031g max	Nickel (impurity only)	7440-02-0
	0	0.000002g max	Aluminium (impurity only)	7429-90-5
Contact - Plating	0.000278	10%	Nickel	7440-02-0
	0.000456	10%	Tin	7440-31-5

Note: Tin plating is subject to 1,000ppm max Lead impurity.

Prepared by:



Martin J Perry, BSc(Eng) MSc CEng MIET  
 Compliance Specialist  
 ComplianceTeam@harwin.co.uk

On behalf of:

